

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"7103625".pn.	USPAT	OR	OFF	2008/05/24 17:45
S2	14	("4914619" "5067072" "5088031" "5109510" "5365606" "5802590" "5819044" "5933838" "5961582" "6016500" "6058414" "6108715" "6247057" "6363497"). PN. OR ("7103625"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/24 17:46
S3	1522	(virtualiz\$5 or virtual) adj3 resource and ("705".clas. or "707". clas. or "709".clas. or "711".clas. or "715". clas. or "717".clas. or "718".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 17:55
S4	17	(virtualiz\$5 or virtual) adj3 resource same user adj2 (isolat\$3) and ("705".clas. or "707". clas. or "709".clas. or "711".clas. or "715". clas. or "717".clas. or "718".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 17:56
S5	11	(virtualiz\$5 or virtual) adj3 resource with user adj2 (isolat\$3) and ("705".clas. or "707". clas. or "709".clas. or "711".clas. or "715". clas. or "717".clas. or "718".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 17:56
S6	49	(virtualiz\$5 or virtual) adj3 resource with (isolat \$3) and ("705".clas. or "707".clas. or "709". clas. or "711".clas. or "715".clas. or "717". clas. or "718".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 17:57

S7	38	(virtualiz\$5 or virtual) adj3 resource with (isolat\$3) and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas.) not S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 17:57
S8	36	(virtualiz\$5 or virtual) adj2 resource with (isolat\$3) and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas.) not S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 17:57
S9	10	(virtualiz\$5 or virtual) adj2 "system resource" same (isolat\$3) and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas.) not S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 17:58
S10	21	(virtualiz\$5 or virtual) adj3 resource near4 (isolat\$3) and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas.) not S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 18:00
S11	11	(virtualiz\$5 or virtual) adj3 resource near4 (isolat\$3) and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas.) not (S9 or S5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 18:00
S12	4	"20050065937".pn. "7203941".pn. "4253145".pn. "7206819".pn.	US-PGPUB; USPAT	OR	OFF	2008/05/24 19:04
S13	26	"native resource" with isolat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 19:20

S14	0	"200300101292".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 19:31
S15	2	"20030101292".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 19:31
S16	168	isolat\$3 near2 (environment) near4 user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:06
S17	37	isolat\$3 near2 (environment) near4 user same (virtual or virtualiz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:06
S18	21	isolat\$3 near2 (environment) near4 user with (virtual or virtualiz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:06
S19	29	isolat\$3 near2 (environment or scope) near4 user with (virtual or virtualiz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:09
S20	9	isolat\$3 near2 (environment or scope) near4 user with (virtual or virtualiz\$5) and "707". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:09
S21	2	isolat\$3 near2 (environment or scope) near4 user with (virtual or virtualiz\$5) and "707/1".ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:09

S22	20	isolat\$3 near2 (scope) near4 user with (virtual or virtualiz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:09
S23	157	isolat\$3 near2 (scope or environment) with (virtual or virtualiz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:10
S24	103	isolat\$3 near2 (scope or environment) with (virtual or virtualiz\$5) and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:10
S25	86	isolat\$3 near2 (scope or environment) with (virtual or virtualiz\$5) and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas.) not S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:10
S26	52	isolat\$3 near2 (scope or environment) near4 (virtual or virtualiz\$5) and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas.) not S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:11
S27	3	isolat\$3 near2 (scope or environment) near4 (virtual or virtualiz\$5) with instance and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas.) not S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:11

S28	17	isolat\$3 near2 (scope or environment) with (virtual or virtualiz\$5) with resource and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas.) not S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:12
S29	4	isolat\$3 near2 (scope or environment) with (virtual or virtualiz\$5) with system adj resource and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas.) not S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:12
S30	13	isolat\$3 near2 (scope or environment) with (virtual or virtualiz\$5) with resource and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas.) not (S22 or S29)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:14
S31	34	isolat\$3 near2 (scope or environment) with (virtual or virtualiz\$5) with resource and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:15
S32	17	(native or system) adj resource with isolat\$3 near4 (scope) and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:18

S33	0	(native or system) adj resource with isolat\$3 near4 (scope) and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas.) not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:18
S34	0	(native or system) adj resource with (virtualiz \$5) with (scope) and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas.) not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:19
S35	52	(native or system) adj resource with (scope) and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas.) not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:19
S36	1	(native or system) adj resource with user near3 (scope) and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas.) not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:19
S37	3	resource with (virtualiz \$5) with (scope) and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas.) not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:20
S38	155	(native or system) adj resource with isolat\$3 and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas.) not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:23

S39	78	(native or system) adj resource near4 isolat\$3 and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas.) not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:24
S40	58	(native or system) adj resource near4 virtualiz \$5 and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas.) not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:25
S41	13	(native or system) adj resource near4 virtualiz \$5 with user and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas.) not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:25
S42	0	(native or system) adj resource with virtualiz\$5 with scope and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas.) not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:25
S43	160	(native or system) adj resource with isolat\$3 and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas. or "719".clas.) not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:26
S44	12	(native or system) adj resource with isolat\$3 with (virtual or virtualiz \$5) and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas. or "719".clas.) not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:26

S45	273	(native or system) adj resource near4 (virtual or virtualiz\$5) and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas. or "719".clas.) not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:27
S46	62	(native or system) adj resource near4 (virtual or virtualiz\$5) near4 application and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas. or "719".clas.) not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:27
S47	1	(native or system) adj resource same (virtual or virtualiz\$5) same (application or user) adj scope and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas. or "719".clas.) not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:28
S48	0	(native or system) adj resource same (virtual or virtualiz\$5) same (application or user) adj scope and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas. or "719".clas.) not (S31 or S47)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:28
S49	0	(native or system) adj resource same (application or user) adj scope and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas. or "717".clas. or "718".clas. or "719".clas.) not (S31 or S47)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:28

S50	18	(native or system) adj resource same (application or user) near2 scope and ("705". clas. or "707".clas. or "709".clas. or "711". clas. or "715".clas. or "717".clas. or "718". clas. or "719".clas.) not (S31 or S47)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:29
S51	3	(native or system) adj resource with (application or user) near2 scope and ("705". clas. or "707".clas. or "709".clas. or "711". clas. or "715".clas. or "717".clas. or "718". clas. or "719".clas.) not (S31 or S47)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:29
S52	6	(native or system) adj2 resource with (application or user) near2 scope and ("705". clas. or "707".clas. or "709".clas. or "711". clas. or "715".clas. or "717".clas. or "718". clas. or "719".clas.) not (S31 or S47)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:30
S53	38	(native or system) adj resource same (application or user) near2 scope not (S31 or S47)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:31
S54	35	(native or system) adj resource same (application or user) near2 scope not (S31 or S47 or S52)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:31
S55	6	(native or system) adj resource with (application or user) near2 scope not (S31 or S47 or S52)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:31

S56	18	resource same (application or user) adj scope and ("705".clas. or "707".clas. or "709". clas. or "711".clas. or "715".clas. or "717". clas. or "718".clas. or "719".clas.) not (S31 or S47)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:32
S57	8	resource with (application or user) adj scope and ("705".clas. or "707".clas. or "709". clas. or "711".clas. or "715".clas. or "717". clas. or "718".clas. or "719".clas.) not (S31 or S47)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:32
S58	1	(virtual or virtualiz\$5) same resource same (application or user) adj scope and ("705".clas. or "707".clas. or "709". clas. or "711".clas. or "715".clas. or "717". clas. or "718".clas. or "719".clas.) not (S31 or S47)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:33
S59	2	(virtual or virtualiz\$5) same resource same (application or user) adj scope not (S31 or S47)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:33
S60	119	(native or system) adj2 resource near3 instance and ("705".clas. or "707".clas. or "709". clas. or "711".clas. or "715".clas. or "717". clas. or "718".clas. or "719".clas.) not (S31 or S47)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:34

S61	15	(native or system) adj2 resource near3 instance same (virtual or virtualiz \$5 or scope) and ("705". clas. or "707".clas. or "709".clas. or "711". clas. or "715".clas. or "717".clas. or "718". clas. or "719".clas.) not (S31 or S47)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/24 23:35
-----	----	--	---	----	----	---------------------

5/24/2008 11:45:12 PM

C:\Documents and Settings\jmorrisson\My Documents\EAST\Workspaces\10711737-
afterRCE.wsp